

REV	DESCRIPTION OF REVISION	By	DATE	APPROVED
A	INITIAL RELEASE	C. Cai	2023/9/16	C. Chen

## TECHNICAL DATA

### ► Electrical Data


Frequency Range	18~26.5GHz
Insertion Loss	0.9dB max
VSWR	1.3:1 max
Isolation	20dB min
Forward Power	10W
Reverse Power	2W
Direction	Clockwise
Impedance	50 Ohms

### ► Mechanical Data

Dimensions	10.2×26×12.5mm
Connector	2.92mm-Female
Material	Aluminum
Surface Finish	Nickel Plated
Weight	40g

### ► Environmental Data

Operating Temperature	-10°C~+60°C
Storage Temperature	-50°C~+90°C



Notes:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

DRAWN: L. Ma 16/09/23	TITLE:  Coaxial Isolator 18-26.5GHz, 10W, 2.92mm-Female	PART No.:  TMCI-18002650-10	 <b>TITAN MICROWAVE INC.</b> <i>- A Professional RF &amp; Microwave Components Supplier -</i> <a href="http://www.titan-microwave.com">www.titan-microwave.com</a>
ENGINEER: J. Zhu 16/09/23			
APPROVED: C. Chen 16/09/23			
TOLERANCE UNLESS OTHERWISE SPECIFIED			
x      ±0.50      [0.019"]			
.x      ±0.20      [0.008"]			
.xx     ±0.10      [0.004"]			
ANGLES    ±1°			
			DIMENSIONS IN MILLIMETERS(mm)
	SIZE: A4	SCALE:	SHEET: 1/1
			REV: A